

# SHU920X

Product family	Hood
Hood Type	Integrated hood
Design	Ceiling
Extraction	Extraction
Material	Stainless steel
Type of steel	Brushed
EAN code	8017709309060



## Aesthetics

Colour	Stainless steel	Serigraphy colour	Black
Finishing	Satin	Logo	Applied



## Controls

Control setting	Buttons	Led color	White
-----------------	---------	-----------	-------

## Programs / Functions

No. of speeds	3
Intensive speed	

## Technical Features

			
No. of lights	2	Motor power	250 W
Light type	LED	No. of filters	2
Light color temperature scale (°K)	4000 °K	Anti-grease filters	Stainless steel
Free outlet maximum capacity	185 m <sup>3</sup> /h		

Extraction rate IEC 61591 [m<sup>3</sup>/h]

Noise level IEC 60704-2-13 [dB(A)]

Speed 1	330	52
Speed 2	500	60
Speed 3	670	66
Intensive speed	770	70





## Electrical Connection

Plug  
Voltage

(I) Australia  
220-240 V

Frequency (Hz)

50-60 Hz



---

## Symbols glossary (TT)

---



Filters: Model has filters to help remove grease from the steam emanating from the pans during cooking.



Lights: All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.



Intensive/turbo setting: when extra fast extraction is required.